



ELSEVIER

Mechanisms of Development 53 (1995) 415–416



Author index

Volume 53 (1995)

- Abate-Shen, C., see Iler, N. 53, 87
- Ahmad, I., P. Zagouras, S. Artavanis-Tsakonas, Involvement of Notch-1 in mammalian retinal neurogenesis: association of Notch-1 activity with both immature and terminally differentiated cells 53, 73
- Ahnert-Hilger, G., see Strübing, C. 53, 275
- Altmeyer, W., see Wismar, J. 53, 141
- Ariza-McNaughton, L., see Morrison, A. 53, 47
- Artavanis-Tsakonas, S., see Ahmad, I. 53, 73
- Bally-Cuif, L., B. Cholley, M. Wassef, Involvement of *Wnt-1* in the formation of the mes/metencephalic boundary 53, 23
- Baonza, A., see de Celis, J.F. 53, 209
- Bellard, F., see Jagla, K. 53, 345
- Bellard, M., see Jagla, K. 53, 345
- Bontoux, M., see Monsoro-Burg, A.-H. 53, 157
- Bornemann, D., see Simon, J. 53, 197
- Bossing, T., see Broadus, J. 53, 393
- Broadus, J., J.B. Skeath, E.P. Spana, T. Bossing, G. Technau, C.Q. Doe, New neuroblast markers and the origin of the aCC/pCC neurons in the *Drosophila* central nervous system 53, 393
- Capco, D.G., see Schwarz, S.M. 53, 305
- Chaudhuri, C., see Morrison, A. 53, 47
- Cholley, B., see Bally-Cuif, L. 53, 23
- Cohen, S.M., see Wimmer, E.A. 53, 235
- Coltey, P., see Couly, G. 53, 97
- Conlon, R.A., see Luo, J. 53, 61
- Couly, G., P. Coltey, A. Eichmann, N.M. Le Douarin, The angiogenic potentials of the cephalic mesoderm and the origin of brain and head blood vessels 53, 97
- de Celis, J.F., A. Baonza, A. García-Bellido, Behavior of *extramacrochaetae* mutant cells in the morphogenesis of the *Drosophila* wing 53, 209
- Dehni, G., Y. Liu, J. Husain, S. Stifani, *TLE* expression correlates with mouse embryonic segmentation, neurogenesis, and epithelial determination 53, 369
- den Blaauwen, J.L., see Reijnen, M.J. 53, 35
- Desplan, C., see Wimmer, E.A. 53, 235
- Doe, C.Q., see Broadus, J. 53, 393
- Dollé, P., see Jagla, K. 53, 345
- Doniach, T., T.J. Musci, Induction of anteroposterior neural pattern in *Xenopus*: evidence for a quantitative mechanism 53, 403
- Dretzen, G., see Jagla, K. 53, 345
- Echelard, Y., see Iler, N. 53, 87
- Eichmann, A., see Couly, G. 53, 97
- Erezylmaz, D.F., see Kelly, G.M. 53, 261
- Fedtsova, N.G., E.E. Turner, Brn-3.0 expression identifies early post-mitotic CNS neurons and sensory neural precursors 53, 291
- Fitzpatrick, K.A., S.M. Gorski, Z. Ursuliak, J.V. Price, Expression of protein tyrosine phosphatase genes during oogenesis in *Drosophila melanogaster* 53, 171
- Gallicano, G.I., see Schwarz, S.M. 53, 305
- García-Bellido, A., see de Celis, J.F. 53, 209
- Gateff, E., see Wismar, J. 53, 141
- Geißén, M., see Wismar, J. 53, 141
- Giguère, V., see Luo, J. 53, 61
- Gorski, S.M., see Fitzpatrick, K.A. 53, 171
- Habtemichael, N., see Wismar, J. 53, 141
- Hamer, K.M., see Reijnen, M.J. 53, 35
- Hescheler, J., see Strübing, C. 53, 275
- Hogan, B.L.M., see Wall, N.A. 53, 383
- Husain, J., see Dehni, G. 53, 369
- Iler, N., D.H. Rowitch, Y. Echelard, A.P. McMahon, C. Abate-Shen, A single homeodomain binding site restricts spatial expression of *Wnt-1* in the developing brain 53, 87
- Jäckle, H., see Wimmer, E.A. 53, 235
- Jagla, K., P. Dollé, M.-G. Mattei, T. Jagla, B. Schuhbaur, G. Dretzen, F. Bellard, M. Bellard, Mouse *Lbx1* and human *LBX1* define a novel mammalian homeobox gene family related to the *Drosophila lady bird* genes 53, 345
- Jagla, T., see Jagla, K. 53, 345
- Kelly, G.M., D.F. Erezylmaz, R.T. Moon, Induction of a secondary embryonic axis in zebrafish occurs following the overexpression of β -catenin 53, 261
- Koga, M., Y. Ohshima, *Drosophila* MAP kinase suppresses the vulvaless phenotype of *lin-3*, *let-23* and *lin-45* mutations in *Caenorhabditis elegans* 53, 15
- Kornberg, T.B., see Kuhn, D.T. 53, 3
- Kornberg, T.B., see Saenz-Robles, M.T. 53, 185
- Krumlauf, R., see Morrison, A. 53, 47
- Kuhn, D.T., G. Turenchalk, J.A. Mack, G. Packert, T.B. Kornberg, Analysis of the genes involved in organizing the tail segments of the *Drosophila melanogaster* embryo 53, 3
- Kuroda, M.I., see Rastelli, L. 53, 223
- Kuroiwa, A., see Morrison, A. 53, 47
- LaJeunesse, D., A. Shearn, Trans-regulation of thoracic homeotic selector genes of the Antennapedia and bithorax complexes by the trithorax group genes: *absent*, *small*, and *homeotic discs 1* and *2* 53, 123
- Lambrechts, C., see Reijnen, M.J. 53, 35
- Lardelli, M., see Williams, R. 53, 357
- Le Douarin, N.M., see Couly, G. 53, 97
- Le Douarin, N.M., see Monsoro-Burg, A.-H. 53, 157
- Lehner, C.F., see Sigrist, S. 53, 247

- Lendahl, U., see Williams, R. 53, 357
 Liu, Y., see Dehni, G. 53, 369
 Löffler, T., see Wismar, J. 53, 141
 Lunde, K., see Simon, J. 53, 197
 Luo, J., P. Pasceri, R.A. Conlon, J. Rossant, V. Giguère, Mice lacking all isoforms of retinoic acid receptor β develop normally and are susceptible to the teratogenic effects of retinoic acid 53, 61
- Mack, J.A., see Kuhn, D.T. 53, 3
 Maschat, F., see Saenz-Robles, M.T. 53, 185
 Mason, I., see Robertson, K. 53, 329
 Mattei, M.-G., see Jagla, K. 53, 345
 Mazo, A., see Tillib, S. 53, 113
 McGaughey, R.W., see Schwarz, S.M. 53, 305
 McGinnis, W., see Vanario-Alonso, C.E. 53, 323
 McMahon, A.P., see Iler, N. 53, 87
 Mizrokhi, L., see Tillib, S. 53, 113
 Monsoro-Burq, A.-H., M. Bontoux, C. Vincent, N.M. Le Douarin, The developmental relationships of the neural tube and the notochord: short and long term effects of the notochord on the dorsal spinal cord 53, 157
 Moon, R.F., see Kelly, G.M. 53, 261
 Morrison, A., C. Chaudhuri, L. Ariza-McNaughton, I. Muchamore, A. Kuroiwa, R. Krumlauf, Comparative analysis of chicken *Hoxb-4* regulation in transgenic mice 53, 47
 Muchamore, I., see Morrison, A. 53, 47
 Musci, T.J., see Doniach, T. 53, 403
- O'Hara, E., see Vanario-Alonso, C.E. 53, 323
 Ohshima, Y., see Koga, M. 53, 15
 Otte, A.P., see Reijnen, M.J. 53, 35
- Packert, G., see Kuhn, D.T. 53, 3
 Pasceri, P., see Luo, J. 53, 61
 Pick, L., see Vanario-Alonso, C.E. 53, 323
 Price, J.V., see Fitzpatrick, K.A. 53, 171
- Rastelli, L., R. Richman, M.I. Kuroda, The dosage compensation regulators MSL-1 and MSL-2 are interdependent since early embryogenesis in *Drosophila* 53, 223
 Reijnen, M.J., K.M. Hamer, J.L. den Blaauwen, C. Lambrechts, I. Schoneveld, R. van Driel, A.P. Otte, *Polycomb* and *bmi-1* homologs are expressed in overlapping patterns in *Xenopus* embryos and are able to interact with each other 53, 35
 Richman, R., see Rastelli, L. 53, 223
 Ried, G., see Sigrist, S. 53, 247
 Robertson, K., I. Mason, Expression of *ret* in the chicken embryo suggests roles in regionalisation of the vagal neural tube and somites and in development of multiple neural crest and placodal lineages 53, 329
 Rossant, J., see Luo, J. 53, 61
 Rowitch, D.H., see Iler, N. 53, 87
- Saenz-Robles, M.T., F. Maschat, T. Tabata, M.P. Scott, T.B. Kornberg, Selection and characterization of sequences with high affinity for the engrailed protein of *Drosophila* 53, 185
 Sass, H., see Wismar, J. 53, 141
 Schoneveld, I., see Reijnen, M.J. 53, 35
 Schuhbaur, B., see Jagla, K. 53, 345
 Schwartz, C., see Simon, J. 53, 197
- Schwarz, S.M., G.I. Gallicano, R.W. McGaughey, D.G. Capco, A role for intermediate filaments in the establishment of the primitive epithelia during mammalian embryogenesis 53, 305
 Scott, M.P., see Saenz-Robles, M.T. 53, 185
 Sedkov, Y., see Tillib, S. 53, 113
 Shan, J., see Strübing, C. 53, 275
 Shearn, A., see Lajeunesse, D. 53, 123
 Sigrist, S., G. Ried, C.F. Lehner, Dmcdc2 kinase is required for both meiotic divisions during *Drosophila* spermatogenesis and is activated by the Twine/cdc25 phosphatase 53, 247
 Simon, J., D. Bornemann, K. Lunde, C. Schwartz, The *extra sex combs* product contains WD40 repeats and its time of action implies a role distinct from other *Polycomb* group products 53, 197
 Simpson-Brose, M., see Wimmer, E.A. 53, 235
 Skeath, J.B., see Broadus, J. 53, 393
 Spana, E.P., see Broadus, J. 53, 393
 Stifani, S., see Dehni, G. 53, 369
 Strübing, C., G. Ahnert-Hilger, J. Shan, B. Wiedenmann, J. Hescheler, A.M. Wobus, Differentiation of pluripotent embryonic stem cells into the neuronal lineage in vitro gives rise to mature inhibitory and excitatory neurons 53, 275
- Tabata, T., see Saenz-Robles, M.T. 53, 185
 Technau, G., see Broadus, J. 53, 393
 Tillib, S., Y. Sedkov, L. Mizrokhi, A. Mazo, Conservation of structure and expression of the *trithorax* gene between *Drosophila virilis* and *Drosophila melanogaster* 53, 113
 Turenchak, G., see Kuhn, D.T. 53, 3
 Turner, E.E., see Fedtsova, N.G. 53, 291
- Ursuliak, Z., see Fitzpatrick, K.A. 53, 171
- van Driel, R., see Reijnen, M.J. 53, 35
 Vanario-Alonso, C.E., E. O'Hara, W. McGinnis, L. Pick, Targeted ribozymes reveal a conserved function of the *Drosophila paired* gene in sensory organ development 53, 323
 Vef, O., see Wismar, J. 53, 141
 Vincent, C., see Monsoro-Burq, A.-H. 53, 157
- Wall, N.A., B.L.M. Hogan, Expression of bone morphogenetic protein-4 (BMP-4), bone morphogenetic protein-7 (BMP-7), fibroblast growth factor-8 (FGF-8) and sonic hedgehog (SHH) during branchial arch development in the chick 53, 383
 Wassef, M., see Bally-Cuif, L. 53, 23
 Wiedenmann, B., see Strübing, C. 53, 275
 Williams, R., U. Lendahl, M. Lardelli, Complementary and combinatorial patterns of *Notch* gene family expression during early mouse development 53, 357
 Wimmer, E.A., M. Simpson-Brose, S.M. Cohen, C. Desplan, H. Jäckle, *Trans-* and *cis-*acting requirements for blastodermal expression of the head gap gene *buttonhead* 53, 235
 Wismar, J., T. Löffler, N. Habtemichael, O. Vef, M. Geißen, R. Zirwes, W. Altmeyer, H. Sass, E. Gateff, The *Drosophila melanogaster* tumor suppressor gene *lethal(3)malignant brain tumor* encodes a proline-rich protein with a novel zinc finger 53, 141
 Wobus, A.M., see Strübing, C. 53, 275
- Zagouras, P., see Ahmad, I. 53, 73
 Zirwes, R., see Wismar, J. 53, 141



ELSEVIER

Mechanisms of Development 53 (1995) 417–420



Subject index

Volume 53 (1995)

Anterior-posterior axis; extra sex combs; Polycomb group; Homeotic; Repression; *Drosophila* 53, 197

Anteroposterior neural pattern; Neural induction; *en-2*; *Xanf-2*; *HoxB9*; *Xenopus*; Homeodomain; Triple in situ hybridization 53, 403

Axis formation; *Danio*; β -Catenin; *Xgsk-3*; *wnt* 53, 261

***bmi-1*; Polycomb; *Xenopus laevis*; Protein-protein interactions** 53, 35

Bone morphogenetic protein; Fibroblast growth factor; Sonic hedgehog; Branchial arches; Chick embryo 53, 383

Boundary formation; *Wnt-1*; *Otx-2*; Swaying mutant; Met-mesencephalon 53, 23

Brain; *Drosophila*; Imaginal discs; Temperature-sensitive; Tumor suppressor gene; Zinc finger 53, 141

Branchial arches; Bone morphogenetic protein; Fibroblast growth factor; Sonic hedgehog; Chick embryo 53, 383

Brn-3.0; POU-Domain; Transcription factor; Neuronal differentiation 53, 291

buttonhead; *Drosophila*; Gap gene; Gene regulation; Head development 53, 235

***Caenorhabditis elegans*; MAP kinase kinase; Vulval induction; Signal transduction; Dsor-1** 53, 15

β -Catenin; *Danio*; *Xgsk-3*; *wnt*; Axis formation 53, 261

***cdc2* kinase; *Drosophila*; Spermatogenesis; Meiosis; Temperature sensitivity; Twine/*cdc25* phosphatase** 53, 247

Cell proliferation control; Clonal restrictions; Vein differentiation 53, 209

Cell-fate determination; Notch; Neurogenesis; Retina 53, 73

Central nervous system; *Drosophila*; Neural precursor; Neuroblast; Ganglion mother cell; Even-skipped; Gooseberry 53, 393

Central nervous system; Homeobox; Hindbrain; *HOX11*; Locus conservation 53, 345

Chick embryo; Bone morphogenetic protein; Fibroblast growth factor; Sonic hedgehog; Branchial arches 53, 383

Chick embryo; Roof plate; Notochord; *Msx* genes; *Pax* genes; Dorsal septum 53, 157

Chicken embryos; *Hox* genes; Rhombomeres; Transgenic mice; Gene regulation 53, 47

Clonal restrictions; Vein differentiation; Cell proliferation control 53, 209

CNS development; *Wnt-1* regulation; Homeodomain control; *Emx2*; *Dlx2* 53, 87

Comparative study; *Trithorax*; *Drosophila virilis*; Homeotic gene regulation 53, 113

Cytokeratin; Intermediate filaments; Cytoskeletal sheets; Embryogenesis 53, 305

Cytoskeletal sheets; Intermediate filaments; Cytokeratin; Embryogenesis 53, 305

***Danio*; β -Catenin; *Xgsk-3*; *wnt*; Axis formation** 53, 261

Developmental regulation; Engrailed; Sequence specific binding 53, 185

Dlx2*; *Wnt-1* regulation; Homeodomain control; CNS development; *Emx2 53, 87

Dorsal septum; Roof plate; Notochord; Chick embryo; *Msx* genes; *Pax* genes 53, 157

Dosage compensation; Sex determination; Germ cells 53, 223

***Drosophila* embryonic development; Tail segments; Homeotic genes** 53, 3

***Drosophila virilis*; *Trithorax*; Comparative study; Homeotic gene regulation** 53, 113

***Drosophila*; Brain; Imaginal discs; Temperature-sensitive; Tumor suppressor gene; Zinc finger** 53, 141

***Drosophila*; Central nervous system; Neural precursor; Neuroblast; Ganglion mother cell; Even-skipped; Gooseberry** 53, 393

- Drosophila**; *extra sex combs*; *Polycomb* group; Homeotic; Repression; Anterior-posterior axis 53, 197
- Drosophila**; Gap gene; *buttonhead*; Gene regulation; Head development 53, 235
- Drosophila**; Homeotic genes; Transregulation; Trithorax group 53, 123
- Drosophila**; *paired*; Ribozyme; Sensory organ; *PAX* genes 53, 323
- Drosophila**; Protein tyrosine phosphatase; Oogenesis; mRNA localization 53, 171
- Drosophila**; Spermatogenesis; Meiosis; *cdc2* kinase; Temperature sensitivity; Twine/*cdc25* phosphatase 53, 247
- Dsor-1**; MAP kinase kinase; Vulval induction; *Caenorhabditis elegans*; Signal transduction 53, 15
- Embryogenesis**; Intermediate filaments; Cytoskeletal sheets; Cytokeratin 53, 305
- Emx2**; *Wnt-1* regulation; Homeodomain control; CNS development; *Dlx2* 53, 87
- en-2**; Anteroposterior neural pattern; Neural induction; *Xanf-2*; *HoxB9*; *Xenopus*; Homeodomain; Triple in situ hybridization 53, 403
- Endothelial cells**; Quail-chick chimeras; Fate mapping; QH1/MB1; VEGF receptor 53, 97
- Engrailed**; Sequence specific binding; Developmental regulation 53, 185
- Enteric**; Ret; Neural tube; Neural crest; Retinoic acid; Somite 53, 329
- Even-skipped**; *Drosophila*; Central nervous system; Neural precursor; Neuroblast; Ganglion mother cell; Gooseberry 53, 393
- extra sex combs**; *Polycomb* group; Homeotic; Repression; *Drosophila*; Anterior-posterior axis 53, 197
- Fate mapping**; Quail-chick chimeras; Endothelial cells; QH1/MB1; VEGF receptor 53, 97
- Fibroblast growth factor**; Bone morphogenetic protein; Sonic hedgehog; Branchial arches; Chick embryo 53, 383
- Ganglion mother cell**; *Drosophila*; Central nervous system; Neural precursor; Neuroblast; Even-skipped; Gooseberry 53, 393
- Gap gene**; *Drosophila*; *buttonhead*; Gene regulation; Head development 53, 235
- Gastrulation**; Placode; Neurogenic gene; Peripheral nervous system; Somite 53, 357
- Gene regulation**; *Drosophila*; Gap gene; *buttonhead*; Head development 53, 235
- Gene regulation**; *Hox* genes; Rhombomeres; Transgenic mice; Chicken embryos 53, 47
- Germ cells**; Dosage compensation; Sex determination 53, 223
- Gooseberry**; *Drosophila*; Central nervous system; Neural precursor; Neuroblast; Ganglion mother cell; Even-skipped 53, 393
- Head development**; *Drosophila*; Gap gene; *buttonhead*; Gene regulation 53, 235
- Hindbrain**; Homeobox; *HOX11*; Locus conservation; Central nervous system 53, 345
- Homeobox**; Hindbrain; *HOX11*; Locus conservation; Central nervous system 53, 345
- Homeodomain control**; *Wnt-1* regulation; CNS development; *Emx2*; *Dlx2* 53, 87
- Homeodomain**; Anteroposterior neural pattern; Neural induction; *en-2*; *Xanf-2*; *HoxB9*; *Xenopus*; Triple in situ hybridization 53, 403
- Homeotic gene regulation**; *Trithorax*; *Drosophila virilis*; Comparative study 53, 113
- Homeotic genes**; *Drosophila* embryonic development; Tail segments 53, 3
- Homeotic genes**; *Drosophila*; Transregulation; Trithorax group 53, 123
- Homeotic**; *extra sex combs*; *Polycomb* group; Repression; *Drosophila*; Anterior-posterior axis 53, 197
- Hox genes**; Rhombomeres; Transgenic mice; Chicken embryos; Gene regulation 53, 47
- HOX11**; Homeobox; Hindbrain; Locus conservation; Central nervous system 53, 345
- HoxB9**; Anteroposterior neural pattern; Neural induction; *en-2*; *Xanf-2*; *Xenopus*; Homeodomain; Triple in situ hybridization 53, 403
- Imaginal discs**; Brain; *Drosophila*; Temperature-sensitive; Tumor suppressor gene; Zinc finger 53, 141
- Inhibitory and excitatory synapses**; Mouse embryonic stem cells; Neuronal differentiation; Ion channels 53, 275
- Intermediate filaments**; Cytoskeletal sheets; Cytokeratin; Embryogenesis 53, 305
- Ion channels**; Mouse embryonic stem cells; Neuronal differentiation; Inhibitory and excitatory synapses 53, 275
- Locus conservation**; Homeobox; Hindbrain; *HOX11*; Central nervous system 53, 345
- MAP kinase kinase**; Vulval induction; *Caenorhabditis elegans*; Signal transduction; *Dsor-1* 53, 15

- Meiosis;** *Drosophila*; Spermatogenesis; cdc2 kinase; Temperature sensitivity; Twine/cdc25 phosphatase 53, 247
- Met-mesencephalon;** *Wnt-1*; *Otx-2*; Swaying mutant; Boundary formation 53, 23
- Mouse embryo;** Retinoid; Nuclear receptor; Teratogenicity 53, 61
- Mouse embryonic stem cells;** Neuronal differentiation; Ion channels; Inhibitory and excitatory synapses 53, 275
- mRNA localization;** *Drosophila*; Protein tyrosine phosphatase; Oogenesis 53, 171
- Msx genes;** Roof plate; Notochord; Chick embryo; Pax genes; Dorsal septum 53, 157
- Neural crest;** Ret; Neural tube; Retinoic acid; Enteric; Somite 53, 329
- Neural induction;** Anteroposterior neural pattern; *en-2*; *Xanf-2*; *HoxB9*; *Xenopus*; Homeodomain; Triple in situ hybridization 53, 403
- Neural precursor;** *Drosophila*; Central nervous system; Neuroblast; Ganglion mother cell; Even-skipped; Gooseberry 53, 393
- Neural tube;** Ret; Neural crest; Retinoic acid; Enteric; Somite 53, 329
- Neuroblast;** *Drosophila*; Central nervous system; Neural precursor; Ganglion mother cell; Even-skipped; Gooseberry 53, 393
- Neurogenesis;** Notch; Cell-fate determination; Retina 53, 73
- Neurogenesis;** Notch; Somitogenesis; TLE 53, 369
- Neurogenic gene;** Placode; Peripheral nervous system; Somite; Gastrulation 53, 357
- Neuronal differentiation;** Brn-3.0; POU-Domain; Transcription factor 53, 291
- Neuronal differentiation;** Mouse embryonic stem cells; Ion channels; Inhibitory and excitatory synapses 53, 275
- Notch;** Neurogenesis; Cell-fate determination; Retina 53, 73
- Notch;** Neurogenesis; Somitogenesis; TLE 53, 369
- Notochord;** Roof plate; Chick embryo; Msx genes; Pax genes; Dorsal septum 53, 157
- Nuclear receptor;** Retinoid; Mouse embryo; Teratogenicity 53, 61
- Oogenesis;** *Drosophila*; Protein tyrosine phosphatase; mRNA localization 53, 171
- paired;** *Drosophila*; Ribozyme; Sensory organ; PAX genes 53, 323
- PAX genes;** *Drosophila*; *paired*; Ribozyme; Sensory organ 53, 323
- Pax genes;** Roof plate; Notochord; Chick embryo; Msx genes; Dorsal septum 53, 157
- Peripheral nervous system;** Placode; Neurogenic gene; Somite; Gastrulation 53, 357
- Placode;** Neurogenic gene; Peripheral nervous system; Somite; Gastrulation 53, 357
- Polycomb group; extra sex combs;** Homeotic; Repression; *Drosophila*; Anterior-posterior axis 53, 197
- Polycomb;** *bmi-1*; *Xenopus laevis*; Protein-protein interactions 53, 35
- POU-Domain;** Brn-3.0; Transcription factor; Neuronal differentiation 53, 291
- Protein-protein interactions;** *Polycomb*; *bmi-1*; *Xenopus laevis* 53, 35
- Protein tyrosine phosphatase;** *Drosophila*; Oogenesis; mRNA localization 53, 171
- QH1/MB1;** Quail-chick chimeras; Fate mapping; Endothelial cells; VEGF receptor 53, 97
- Quail-chick chimeras;** Fate mapping; Endothelial cells; QH1/MB1; VEGF receptor 53, 97
- Repression;** *extra sex combs*; *Polycomb* group; Homeotic; *Drosophila*; Anterior-posterior axis 53, 197
- Ret;** Neural tube; Neural crest; Retinoic acid; Enteric; Somite 53, 329
- Retina;** Notch; Neurogenesis; Cell-fate determination 53, 73
- Retinoic acid;** Ret; Neural tube; Neural crest; Enteric; Somite 53, 329
- Retinoid;** Nuclear receptor; Mouse embryo; Teratogenicity 53, 61
- Rhombomeres;** *Hox* genes; Transgenic mice; Chicken embryos; Gene regulation 53, 47
- Ribozyme;** *Drosophila*; *paired*; Sensory organ; PAX genes 53, 323
- Roof plate;** Notochord; Chick embryo; Msx genes; Pax genes; Dorsal septum 53, 157
- Sensory organ;** *Drosophila*; *paired*; Ribozyme; PAX genes 53, 323
- Sequence specific binding;** Engrailed; Developmental regulation 53, 185
- Sex determination;** Dosage compensation; Germ cells 53, 223
- Signal transduction;** MAP kinase kinase; Vulval induction; *Caenorhabditis elegans*; *Dsor-1* 53, 15
- Somite;** Placode; Neurogenic gene; Peripheral nervous system; Gastrulation 53, 357

- Somite**; Ret; Neural tube; Neural crest; Retinoic acid; Enteric 53, 329
- Somitogenesis**; Neurogenesis; Notch; TLE 53, 369
- Sonic hedgehog**; Bone morphogenetic protein; Fibroblast growth factor; Branchial arches; Chick embryo 53, 383
- Spermatogenesis**; *Drosophila*; Meiosis; cdc2 kinase; Temperature sensitivity; Twine/cdc25 phosphatase 53, 247
- Swaying mutant**; *Wnt-1*; *Otx-2*; Met-mesencephalon; Boundary formation 53, 23
- Tail segments**; *Drosophila* embryonic development; Homeotic genes 53, 3
- Temperature sensitivity**; *Drosophila*; Spermatogenesis; Meiosis; cdc2 kinase; Twine/cdc25 phosphatase 53, 247
- Temperature-sensitive**; Brain; *Drosophila*; Imaginal discs; Tumor suppressor gene; Zinc finger 53, 141
- Teratogenicity**; Retinoid; Nuclear receptor; Mouse embryo 53, 61
- TLE**; Neurogenesis; Notch; Somitogenesis 53, 369
- Transcription factor**; Brn-3.0; POU-Domain; Neuronal differentiation 53, 291
- Transgenic mice**; *Hox* genes; Rhombomeres; Chicken embryos; Gene regulation 53, 47
- Transregulation**; *Drosophila*; Homeotic genes; Trithorax group 53, 123
- Triple in situ hybridization**; Anteroposterior neural pattern; Neural induction; *en-2*; *Xanf-2*; *HoxB9*; *Xenopus*; Homeodomain 53, 403
- Trithorax group**; *Drosophila*; Homeotic genes; Transregulation 53, 123
- Trithorax**; *Drosophila virilis*; Comparative study; Homeotic gene regulation 53, 113
- Tumor suppressor gene**; Brain; *Drosophila*; Imaginal discs; Temperature-sensitive; Zinc finger 53, 141
- Twine/cdc25 phosphatase**; *Drosophila*; Spermatogenesis; Meiosis; cdc2 kinase; Temperature sensitivity 53, 247
- VEGF receptor**; Quail-chick chimeras; Fate mapping; Endothelial cells; QH1/MB1 53, 97
- Vein differentiation**; Clonal restrictions; Cell proliferation control 53, 209
- Vulval induction**; MAP kinase kinase; *Caenorhabditis elegans*; Signal transduction; Dsor-1 53, 15
- Wnt-1 regulation**; Homeodomain control; CNS development; Emx2; Dlx2 53, 87
- Wnt-1**; *Otx-2*; Swaying mutant; Met-mesencephalon; Boundary formation 53, 23
- wnt**; *Danio*; β -Catenin; *Xgsk-3*; Axis formation 53, 261
- Xanf-2**; Anteroposterior neural pattern; Neural induction; *en-2*; *HoxB9*; *Xenopus*; Homeodomain; Triple in situ hybridization 53, 403
- Xenopus laevis**; Polycomb; *bmi-1*; Protein-protein interactions 53, 35
- Xenopus**; Anteroposterior neural pattern; Neural induction; *en-2*; *Xanf-2*; *HoxB9*; Homeodomain; Triple in situ hybridization 53, 403
- Xgsk-3**; *Danio*; β -Catenin; *wnt*; Axis formation 53, 261
- Zinc finger**; Brain; *Drosophila*; Imaginal discs; Temperature-sensitive; Tumor suppressor gene 53, 141

